



## CORRUGATED PRODUCTS & ACCESSORIES



Address: 502, Kailash Palace, Upasharay Lane, Ghatkopar East, Mumbai - 400 077, Maharashtra, India.

Email: [sales@rishabhimpex.in](mailto:sales@rishabhimpex.in) | Website: [www.rishabhimpex.in](http://www.rishabhimpex.in)

Contact No. : +91 8879063323 / +91 9819236070



Please note that while every effort has been made to ensure that the data given in this document is accurate, due to a policy of continuous improvement the information, figures, illustrations, tables, specification and schematics contained herein are subject to change without notice.

## Rotary Dies




### Details:

The collaboration with an international Die manufacturing company has given our company the right skills, expertise and technological support to manufacture Rotary Dies of all types. The high quality imported raw materials are used for better productivity and accuracy.

Our highly experienced technical team will be able to provide packaging expertise to assist with all aspects of die making design.

We provide highly personalized Die making service for short delivery times.

## Flatbed Dies



### Details:

Our Laser cut dies offer uniform accuracy in manufacturing Flatbed Dies for all the specifications and sizes. An Autobender is used for precise manufacture of cutting and creasing edges/knives.

The high quality imported wood and steel rules are used for better productivity and accuracy.

Our highly experienced technical team will be able to provide packaging expertise to assist with all aspects of die making design.

We provide highly personalized Die making service for short delivery times.



## Slotter Cutter & Bottom Slotting Blade



### Details:

1. Size : Dia.200-800mm are available
2. Material : 9crsi or SKD-11
3. Hardness : HRC55-58

## Slitting Blade



### Details:

1. Size : Dia.100-800mm are available
2. Material : 9crsi or SKD-11
3. Hardness : HRC55-58

Our blades are available for:

- DongFang • SHCC • JS • TCY • Mingwei
- Any Chinese / Taiwanese make

## Cut Off Blade



### Details:

1. Size : According to corrugated Production line size
2. Material : W18Cr4Co8
3. Hardness : HRC58-60

## Thin Blade



### Details:

1. Size : Dia.200-300mm are available
2. Material : Tungsten steel
3. Hardness : HRA90

Our blades are available for:

- DongFang • Xinguang • SHCC • TCY • Dingshung
- Mitshubishi • Mingwei • Dpack • JS • TSAIYI
- Any Chinese / Taiwanese make



## Non crush wheels (Sun Wheel)



### Details:

Hardness : HS 57-63

Color : Yellow, Red

Material : Polyurethane (PU)

Usage : Application on Laminating machine,

Slitter Scorer for corrugated production line,

NC cutter for corrugated production line, Stacker for Corrugated production line

### Sizes available:

- External Diameter: 66mm-330mm
- Internal Diameter: 28mm-220mm
- Width: 30mm-70mm

Good elasticity, wear resistant, high anti-tearing, protect corrugated sheet, long service life.

## Lead edge feed rubber / Lead Edge Feeding Wheel



### Details:

Hardness : HS 65-68

Color : Nacarat

Material : Polyurethane (PU)

Usage : Application on Lead Edge Feeder for automatic flexo printing machine.

### Sizes available:

- External Diameter: 75mm-109.7mm
- Internal Diameter: 66mm-92mm
- Width: 22mm-30mm

Good elasticity, wear resistant, surface antiskid. Special design to make rubber combined well with aluminum part. Make sure feeding in straight line. Easy to change rubber



## Single Diaphragm Pump

Details: Model: A-12

Material: Aluminum alloy

Displacement: 4-12L/min

Working air pressure: 0.2-0.5MPa

Max. air consumption: 4m<sup>3</sup>/h

## Filter

Details: Material: Aluminum alloy



## Dial

Details: Material: Aluminum alloy

## Double Wormgear Box

Details: Material: Aluminum alloy



## Single Wormgear Box

Details: Material: Aluminum alloy